

HDL 38-AS

ACTIVE FLYABLE SUBWOOFER MODULE

DESCRIPTION

The HDL 38-AS is the ideal flyable bass complement for the HDL 30-A array system. It features one 4.0" voice coil, 18" Neodymium woofer to handle 136 dB SPL Max from 30 Hz to 140 Hz with the maximum linearity and low distortion. The HDL 38-AS is perfect to create flown systems for theatrical and indoor requirements. The built-in 3200W class-D amplifier delivers excellent playback clarity and up to 136 decibels SPL max. Due to its compatibility with RDNet - remote monitoring and control, the HDL 38-AS is part of the professional HDL System.



FEATURES

- 136 dB Max SPL
- 3200W peak class-D Amplifier
- 30-140 Hz frequency response
- RDNet Networked Management
- 1x18" Neodymium Woofer, 4.0" voice coil

TECHNICAL SPECIFICATIONS


Acoustical specifications	Frequency Response:	30 Hz ÷ 140 Hz
	Max SPL @ 1m:	136 dB
Transducers	Woofers:	18" neo, 4.0" v.c
Input/Output section	Input signal:	bal/unbal
	Input connectors:	XLR, RDNet Ethercon
	Output connectors:	XLR, RDNet Ethercon
	Input sensitivity:	+4 dBu
Processor section	Protections:	Thermal, RMS
	Limiter:	Soft Limiter
	Controls:	Volume, Preset selection
	RDNet:	Yes
Power section	Total Power:	3200 W Peak, 1600 W RMS
	Low frequencies:	3200 W Peak, 1600 W RMS
	Cooling:	Convection
	Connections:	Powercon IN/OUT
Standard compliance	CE marking:	Yes
Physical specifications	Cabinet/Case Material:	Baltic birch plywood
	Hardware:	Array fittings
	Handles:	2 Side
	Pole mount/Cap:	Yes
	Grille:	Steel
	Color:	Black
Size	Height:	502 mm / 19.76 inches
	Width:	700 mm / 27.56 inches
	Depth:	621 mm / 24.45 inches
	Weight:	48.7 kg / 107.36 lbs
Shipping informations	Package Height:	550 mm / 21.65 inches
	Package Width:	670 mm / 26.38 inches
	Package Depth:	750 mm / 29.53 inches
	Package Weight:	51 kg / 112.44 lbs

PART NUMBER

- **13000580**

HDL 38-AS

EAN 8024530016944



SUBWOOFER HDL 38-AS 90-240V

REV.
A