Description

SUB 9016-AS is a high-performance 16" active subwoofer delivering up to 137 dB Max SPL, powered by a robust 4000W Class-D amplifier. Designed for rigorous touring, the SUB 9016-AS features a tour-ready, weatherproof cabinet with a durable Polyurea finish and a detachable front cart for easy transport. Control is precise with RDNet network management, offering adjustable EQ, delay, cardioid options, and tailored crossover presets for RCF speakers. Innovative contactless configuration via RDTap allows seamless setup even when the unit is unpowered, ensuring perfect integration every time. Despite its small footprint and lightweight cabinet , the SUB 9016-AS produces powerful yet articulate bass, remaining true to even the most subtle low-frequency variations.

Features

- > 137 dB Max SPL
- > 4000W Class-D Amplification
- > RDTap Contactless Configuration
- > I/O Panel Rain Cover Included
- > RDNet Networked Control
- > BMC, EQ, DLY, Cardioid
- > ACE Crossover Presets for RCF Speakers
- > 16" High-Excursion Precision Transducer
- > Detachable Front Cart (sold separately)
- > powerCON TRUE1 TOP AC Connector

Part Number

 13000916
 SUB 9016-AS
 EU
 100-240 V
 Black
 EAN 8024530023423

 13000935
 SUB 9016-AS
 US
 100-240 V
 Black
 EAN 8024530023416



SUB 9016-AS


HIGH POWER 16" ACTIVE SUBWOOFER

Line Art 2D

Transducers

Size / Weight

Woofer



TECHNICAL SPECIFICATIONS

Acoustical specifications Frequency Response 30 Hz ÷ 200 Hz

Max SPL @ 1m 137 dB

Input/Output section bal/unbal Input signal

XLR, RDNet Ethercon Input connectors Output connectors XLR, RDNet Ethercon Input sensitivity -2 dBu/+4 dBu

Processor section Protections Thermal

> Limiter Soft Limiter

Controls MUTE, VOL, PRESETS, RDTAP

1 x 16" neo, 4.0" v.c

RDNet Onboard

Power section **Total Power** 4000 W Peak

Cooling Convection/Forced

Powercon TRUE1 TOP IN/OUT Connections

Standard compliance Safety agency CE compliant **Physical specifications** Cabinet/Case Material Plywood

Hardware 2 x M20 pole mount accessories

Handles 1 handle per side Pole mount/Cap M20 thread

Grille Steel with clothing

Color Black

> Height 533 mm / 20.98 inches Width 570 mm / 22.44 inches Depth 600 mm / 23.62 inches Weight 45 kg / 99.21 lbs

ACCESSORIES

Rigging / Mounting **FLY BARS** 13360673 FLB60673 Black

Technical Specifications Page 2 of 3



SUB 9016-AS

HIGH POWER 16" ACTIVE SUBWOOFER

Rigging / Mounting | 13360676 FLB60676 Black

POLE MOUNT KITS

13360067 PM-KIT M20 Black EAN 8024530014599

Protections COVERS

13360736 CVR60736 Black

Transportation KART WITH WHEELS

13360667 CRT60667 Black

Technical Specifications Page 3 of 3